

VIGIL Software Suite v10.5

VIGIL Server software is the core program all other 3xLOGIC applications are built upon. With our Easy Setup Wizard to guide you through installation, you will be up and running in minutes. Designed with limited bandwidth in mind, Server utilizes our proprietary RapidStream Technology and Substream Motion Detection capabilities to provide high resolution over low bandwidth networks. Server is compatible with all ONVIF Profile S cameras, which includes 3xLOGIC's Time of Flight, Thermal, and V- and S-Series cameras, as well as boasting a large library of more than 150 Point-of-Sale integrations.

VIGIL Client gives you unrivaled access to live and recorded video from any of your networked NVRs. Advanced playback and intelligent SmartSearch™ functionality lets you identify and review events of interest quickly and easily. Seamless infinias Access Control integration allows for a complete solution encompassing the full line of 3xLOGIC's products, giving our customer's a powerful but easy-to-use surveillance and access control network.

New to the software suite in this release is support for 60 FPS recording and the H.265+ codec. Scheduled exports have been added to the VIGIL Archive Plugin (included with VIGIL Server), allowing automated archiving of video, audio and POS/ATM data.

Additional software packages are available, including POS, Video Analytics Reporting, and VCM for centralized health monitoring and management. Download our free mobile app, View Lite II for your Android or iOS device.

New in VIGIL 10.5

- **60 FPS and H.265+ Support:** 60 FPS and H.265+ codec support has been added across the suite to ensure the VIGIL software suite offers the latest in video technology.
- **VIGIL Server - Scheduled Exports:** VIGIL Archive (included with VIGIL Server) has seen the addition of a scheduled exports feature, allowing scheduled archiving and export of video, audio and POS/ATM data to a local drive or removeable media.
- **VIGIL Client- Integrated Analytics Bridge:** For V-Series cameras with on-board analytics, users can now manage analytics rules via the integrated analytics interface directly from the Client UI.
- **VIGIL VCM - Multi-Update Packages:** Push update packages containing multiple software updates to bring all of system's VIGIL applications up-to-date with only a single job in VCM.




Image Resolution and Format:

IP Resolution: All Standard Resolutions/Megapixel/
HD Megapixel/Panoramic

IP Video Formats: Standard 3:4, 16:9, 180° and 360°

Minimum Hardware Requirements for VIGIL Client:

CPU: Intel® Core™ i3 Processor
RAM: 2GB (4GB if running Virtual Switch)
GPU: PCI Express 2GB

Supported Operating Systems:

OS: Windows 7, Windows 8, Windows 10

Contact us today for a product demonstration:
1.877.3XLOGIC or www.3xlogic.com/training-and-education.